ACGUSKI, Jan; GERBICKI, Maciej; MAGAS, Stanislaw

Erythrocyte survival time in patients with chronic cardiopulmonary syndrome. Polskie arch. med. wewn. 32 no.4:337-342 162.

1. Z II Kliniki Chorob Wewnetrznych AM w Poznaniu Kierownik: prof. dr med. J.Roguski.
(PULMONARY HEART DISEASE blood)

GEMBICKI, Maciej

Electrophoretic examination of proteins in transudates, exudates and serum in various pathological conditions. Polski tygod. lek. 17 no.25:981-986 18 Je !62.

1. Z II Kliniki Chorob Wewnetrznych AM w Poznaniu; kierownik: prof. dr J. Roguski.

(ELECTROPHORESIS) (PROTEINS chem) (EXUDATES AND TRUDATES chem)

(BLOOD PROTEINS chem)

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000514710014-8

GEMBICKI, Maciej ; KRASNIK, Witold

Acute myelocytic leukemia in a female patient with hyperthyroidism treated with ionizing radiations. Pcl. tyg.lek. 18 no.48:1815-1817 25 N°63

1. Z II Kliniki Chorob Wewnetrznych AM w Poznaniu; kierow-nik: prof.dr. Jan Roguski.

*

GEMBICKI, Maciej

Critical evaluation of the use of iodine isotopes in the treatment of hyperthyroidism. Pol. arch. med. wawnet. 34 no.6:726-729 164.

1. Z II Kliniki Chorob Wewnetrznych Akademii Medycznej w Poznaniu (Kierownika prof. dr. J. Roguski).

Giminal value of ratio and ingraphy. The array and seconds of no.6:746-717 [1]

1. 7 Il Klinini Insorb Semetring & Akanon & Metyler of a local incoming (filer also profe dr.). Fortiskil.

GRACYYKOWSK: -1020ROWSKA, Alicja; GEMBICKI, Faciej; AlfM, Wlodzimierz Thyroid function in simple obesity. Pol. tyg. lek. 20 no.22; 788-791 31 My 165.

1. Z II Kliniki Chorob Wewnetrznych AM w Poznaniu (Kierownik: prof. dr. Jan Roguski).

MULAREK, Jan; GEMBICKI, Maciej

Thyroid function in progressive muscular dystrophy. Pat. Pol. 16 no.3:297-303 J1-8 '65.

1. Z Kliniki Neurologicznej AM w Poznaniu (Kierownik: doc. dr. med. M. Wender) i z II Kliniki Chorob Wewnetrznych AM w Poznaniu (Kierownik: prof. dr. med. J. Rogulski).

3. 克伊斯巴尔斯曼教育。自由安徽

REZNIKOV, S.M.; GEMBITSKAYA, Ye.V.

Organization of preclinical surgical practice; experience gained at the Medical School of the Academy of Medical Sciences of the U.S.S.R. Med. sestra 20 no.12146-50 D '61. (MIRA 15:3)

(SURGERY—STUDY AND TEACHING)

GEMBITSKIY, A.S. [Hembytakys, I.T.]

Ixodes arboricola P. Sch. et Schl., a new species of ixodid ticks in the White Russian S.S.R. Vnatsi AN RSR. Ser. biial nav. no.1:134 '65.

(MIRA 18:5)

GLEKHOVA, V.M.; GEMBITCHIT, A.4.

Biting midges of the genus Culinoides (Dipters, Helevise) from bird nests. Dokl. AN BSER 9 no.1865-58 Ju 165.

(MIRA 18:10)

1. Otdel zoologii i parazitelegii AN BEER.

OSOKINA, D. N.; GEMBITSKIY, L. S.

Cellulose acetate gels as optically-active elastic material for investigating stresses in models deforming under their own weight. Kell. shur. 24 no.67724-732 N-D 162.

(MIRA 16:1)

1. Saratovskiy universitet, kafedra fisiko-khimii polimerev i Institut fisiki semli AN SSSR, Moskva.

(Cellulose acetates—Optical properties)
(Strains and stresses)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

GEMBITSKIY, L.S.; GLIKMAN, S.A.

Dynamic and optical properties of acetyl cellulose rels in benzyl alcohol. Koll. zhur. 27 no.2:172-177 Mr-1p '65. (MIRA 18:6) 1. Saratovskiy universitet, kafedra fiziko-khimii polimerov.

AUTHORS:

Levina, R. Ya., Kaykaris, P. A.,

507/79-28-10-41/60

Gembitskiy, P. A.

TITLE:

Synthesis of Hydrocarbons (Sintez uglevodorodov) LXVII. Hydrocarbons C12, With One or Two Quaternary Carbon Atoms (LXVII. Uglevodorody C₁₂ s odnim i dvumya chetvertichnymi

atomami ugleroda)

PERIODICAL:

Zhurnal obshchey khimii, 1958, Vol 28, Nr 10,

pp 2825 - 2828 (USSR)

ABSTRACT:

In the paper under discussion, the primary hydrobromide of isoprene (I) is applied to the synthesis of

ethylene- and paraffin hydrocarbons of the compositions C12H24 and C12H26. In the reaction of the hydrobromide of isoprene with 2-magnesiumchloro-2-methylhexane, an alkene with a quaternary carbon atom, 2,5,5-trimethylnonane-2 (III), was obtained. Its hydration yielded 2,5,5-trimethylnonane (IV). From the reaction of the iso-

Card 1/2

prene hydrobromide with 3-magnesiumchloro-2,2,3-trinethylbutane, an ethyl hydrocarbon $C_{12}H_{24}$ (V) with two

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

Synthesis of Hydrocarbons, LXVII. Hydrocarbons C 12, With One or Two Quaternary Carbon Atoms 30V/79-28-10-1/60

> adjacent quaternary carbon atoms was obtained. Its hydration furnished the compound (VI). Imomeric alkenes and alkanes of this kind had so far remained unknown. The yields of the two isomeric alkenes (III and V) amounted to 8 and 7% only, a fact which can be explained by side processes (Ref 3). The attempt to achieve the synthesis of the C14H28 hydrocarbons with

> three adjacent quaterrary carbon atoms (VIII) was unavailing, as this branched structure involves difficulties of spatial arrangement. There are 11 references, 9 of which are Soviet.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet (Moscow State

University)

SUBMITTED:

August 19, 1957

Card 2/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

· F. Far.

5 (3) AUTHORS:

Levina, R. Ya., Kostin, V. N., Gembitskiy, P. A.

007/79-29-7-80/83

TITLE:

Letter to the Editor (Pis'mo v redaktsiyu). On the Photochemical Isomerization of Vinyl Ketones Into Allyl Ketones (O fotokhimicheskoy izomerizatsii vinilketonov v allilketony)

PERIODICAL:

Zhurnal obshchey khimii, 1959, Vol 29, Nr 7, pp 2456-2458 (USSR)

ABSTRACT:

The acylation of triptene (2,2,3-trimothyl butene-3) with acetic anhydride in the presence of phosphoric acid yielded the unsaturated ketone, with a β,γ -position of the double bond with respect to the carbonyl group, the 2,2-dimethyl-3-methylene hexanone-5 (I) (Scheme 1). On standing for some months the ketone (I) isomerized to form the 2,2,3-trimethyl-hexen-3-one-5 mixture of the ketone (I) and its isomerization product (II)

 $(I) \xrightarrow{\text{H}_2\text{SO}_4} (\text{CH}_3)_3 \text{C} - \text{C} (\text{CH}_3) = \text{CH} - \text{COCH}_3.$ (II)

Card 1/2

If this resulting equilibrated mixture of the isomeric unsaturated ketones is irradiated with ultraviolet light in

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

Letter to the Editor. On the Photochemical Isomerization 307/79-29-7-80/83 of Vinyl Ketones Into Allyl Ketones

> quartz, its α,β -form, the winyl ketone (II), isomerizes completely to produce the initial β , γ -form, the allyl ketone (I): [(II)----(I)]. In this way a pure 3,7-unsaturated ketone, the 2,2-dimethyl-3-methylene hexanone-5 is formed from the mixture of the 4,6- and Ar-unsaturated ketones. In order to clarify whether this photochemical isomerization of the vinyl into the allyl ketones is of general nature, 1-acetyl cyclohexene-1 was likewise irradiated; about the half of this compound was found to be isomerized into the 1-acetyl-cyclohexene-2 (Scheme 3). Thus the vinyl ketones isomerize by a photochemical process completely or partially to give the allyl ketones. There are 2 Soviet references.

ASSOCIATION:

Moskovskiy gosudarstvennyy universitet (Moscow State

University)

SUBMITTED:

March 24, 1958


Card 2/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

经经验证 经无数款

新国権 軽速 (計画)

AUTHORS: Towns in the State of the state TITIE: paragraphic and statements. To Adviction of Archanice . PERLODICAL: Amount on Large Philips, 190, 201 30. Mr. s. PP GONE GO (BOSE) Alstanach: For heart for of the systoprogram sing in premyl- wolopropine, an anylation with special worlded In the presence of prospection and to was abudied. The relation processes surespo Lacrestantion or systopropens Into allower, which on Curture acylation (Field 30.95), up with the state of the contract of the contra Cation on the confidence of th $0 \cdot m t \cdot I_{\chi} \in$ dı,



Charles and the Lands of the Control of the Control

101/1 -303-14/03

A period on all 1,1,2, stellings to be a proper or 2,2,3-t whickness to be a proper to a proper or betone, 2,2-dimethyl-femethyleness with before, which is formed from the intermediate accepayietone by all minution of an acetle settimal each (without retroplance less properties to be a period of the colors of

| CH₃ | CH₂ | CH₂ | CH₃ | CH₃ | CH₃ | CH₃ | CH₃ | CH₄ | CH₃ | CH₄ | CH₅ | CH₅

The strature of amout arotted setupe. Formed on toglation of phenylerelopropane and 1,1,2,2-tetramethyleyelopropane was conditioned by absorption appeared of their 2,4-dinifropness thydranones, and by comparison of their people with those of mathematic mamples. There are 12 references, 6

dand 3/4

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

LEVINA, R.Ya.; KOSTIN, V.N.; QEMBITSKIY, P.A.; SHOSTAKOVSKIY, S.M.; TRESHCHOVA, Yo.Q.

Cyclopropylmesitylene and p-cyclopropylcumene. Zhur.ob. khim. 30 no.7:2435-2436 J1 '60. (MIRA 13:7)

1. Moskovskiy gosudarstvennyy universitet.
(Mesitylene) (Cumene)

84886

5 3300

ŧ

ong 2209, 1236

S/079/60/030/010/029/030 B001/B066

AUTHORS:

Levina, R. Ya., Kostin, V. N., Gembitskiy, P. A., and

Shostakovskiy, S. M.

TITLE:

New Hydrocarbons of the Cyclopropane Series

PERIODICAL:

Zhurnal obshchey khimii, 1960, Vol. 30, No. 10,

pp. 3502 - 3503

TEXT: The authors continued their investigations on cyclopropanes (Refs. 1 and 2) by synthesizing some new compounds of this series. By partial reduction of phenyl- and p-tolyl cyclopropane with sodium (in liquid ammonia) and methyl alcohol, 1-cyclopropyl-cyclohexadiene-1,4 and 1-methyl-4-cyclopropyl-cyclohexadiene-1,4 were synthesized. The subsequent catalytic hydrogenation of the double bonds in 1-cyclopropyl-cyclohexadiene-1,4 (on a copper-chromium catalyst at a pressure of 100 atm) at 95° and 125° gave cyclopropyl-cyclohexene-1 and, later, cyclopropyl-cyclohexane; the latter was also obtained by methylenation (Ref. 3) of vinyl cyclohexane. p-cyclopropyl styrene and p-cyclopropyl-isopropenyl benzene were, accordingly, synthesized by dehydration of

Card 1/2

84886

New Hydrocarbons of the Cyclopropane Series \$/079/60/030/010/029/030 B001/B066

methyl- and dimethyl-p-cyclopropyl-phenyl carbinols (both carbinols were obtained from p-cyclopropyl-acetophenone). p-dicyclopropyl benzene resulted both from p-cyclopropyl acetophenone, according to the stepwise reactions of Mannich and Kizhner (Ref.4), and from p-cyclopropyl styrene by methylenation (Ref.3). The constants of the resultant hydrocarbons are tabulated. There are 1 table and 4 references: 3 Soviet and 1 US.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet (Moscow State University)

SUBMITTED: June 13, 1960

Card 2/2

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8" LEVINA, R. Ya.; KOSTIN, V.N.; GEMBITSKIY, P.A.; TRESHCHOVA, Ye. G.

Gyelopropanes and syelobutanes. Part 17: Reduction of anyloyelopropanes by metals and methyl alcohol in liquid ammonia. Zhur. ob. khim. 31 no.3/\$29-836 Nr 161. (MIRA 14:3)

1. Moskvskiy gosudarstvennyy universitet imeni M.·V. Lomonosova. (Cyclopropane)

1. 日本教育主義教育技術的

LEVINA, R.Ya.; KOSTIN, V.N.; GEMBITSKIY, P.A.; VINOGRADOV, A.D.

Reactions of cyclopropane hydrocarbons with mercury oxide salts.

Part 12: ~Mercurated alcohols from 1,1-dimethy1-2-alkylcyclopropanes. Vest. Mosk. un. Ser. 2:Khim. 16 no.1:67-68 Ja-F '61.

(MIRA 14:4)

1. Kafedra organicheskoy khimii Moskovskogo universiteta.
(Mercury organic compounds)

LEVINA, R.Ya.; KOSTIN, V.N.; GEMBITSKIY, P.A.; SHOSTAKOVSKIY, S.M.

New hydrocarbons of the cyclopropane series. Zhur.ob.khim. 30
no.10:3502-3503 0 *61. (MIRA 14:4)

1. Moskovskiy gosmarstvennyy universitet.
(Cyclopropane)

LEVINA, R. Ya.; KOSTIN, V.N.; GEMBLISKIY, P.A.; SHOSTAKOVSKIY, S.M.; TRESHCHOVA, Ye.G.

Cyclopropanes and cyclobutanes. Part 18: ρ -Cyclopropylcumene and ρ -1 sopropenylcumene. Zhur. ob. khim. 31 no.4:1185-1190 Ap 161. (MIRA 14:4)

1. Moskovskiy gosudarstvennyy universitet.
(Benzene)

LEVINA, R.Ya.; GEMBITSKIY, P.A.

Bromination and acylation of phenylcyclopropane. Zhur.ob.khim.
31 no.10:3480-3481 0 '61. (MIRA 14:10)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.
(Bensene) (Bromination) (Acylation)

TSYBIKOVA, D.TS., kand. khim. nauk; GEMBITSKIY, P.A., kand. khim. nauk; GUSEVA, A.P.

Hammet equation and its application in organic chemistry. Trudy VSTI no.1:39-65 '62. (MIRA 17:11)

生物類性性學學 程度對於

GEMBITSKIY, P. A.; LEVINA, R. Ya.

Unsaturation of trimethylene ring and its conjugation with multiple bonds. Vest. Mosk. un. Ser. 2: Kwim. 16 [i.e. 17], no.6:3-31 N-D '62. (MIRA 16:1)

1. Kafedra organicheskoy khimii Moskovskogo universiteta.

(Cyclopropane) (Chemical structure)
(Unsaturated compounds)

LEVINA, R.Ya.; KOSTIN, V.N.; GEMBITSKIY, P.A.; SHOSTAMOVSKIY, S.M.;
TRESHCHOVA, Ye.G.

Cyclopropanes and cyclobutanes. Part 24: Cyclopropylmesitylene.
Zhur.ob.khim. 32 no.51377-1382 My '62. (MIRA 15:5)

1. Moskovskiy gosudarstvennyy universitet.
(Mesitylene)

LEVINA, R.Ya.; GEMBITSKIY, P.A.; KOSTIN, V.N.; TRESHCHOVA, Ye.G.

Cyclopropanes and cyclobutanes. Part 27: Cyclopropylalkylbenzenes.
Zhur.ob.khim. 33 no.21359-365 F '63. (MIRA 16:2)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.
(Benzene) (Cyclopropyl group)

LEVINA, R.Ya.; GEMBITSKIY, P.A.; KOSTIN, V.N.; SHOSTAKOVSKIY, S.M.; TRESHCHOVA, Ye.G.

Cyclopropanes and cycloputanes. Part 28: p-Acetylphenyl-cyclopropane in the synthesis of para-substituted cyclopropyl-benzenes. Zhur.ob.khim. 33 no.2:365-371 F '63. (MIRA 16:2)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.
(Acetophenone) (Benzene derivatives)

LEVINA, R.Ya.; GEMBITSKIY, P.A.; TRESHCHOVA, Ye.G.

Cyclopropanes and cyclobutanes. Fart 29: Bromination of arylcyclopropanes. Zhur.ob.khim. 33 no.2:371-376 F '63.

(MIRA 16:2)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.

(Cyclopropane) (Bromination)

公里等上世界軍員等權力

MAZHEYKO, I.B.; GILLER, S.A.; GEMBITSKIY, P.A.; LEVINA, R.Ya.

Dipole moments of some derivatives of phenylcyclopropane. Zhur. ob. khim. 33 no.5:1698-1699 My '63. (MIRA 16:6)

1. Institut organicheskogo sintesa AN Latviyskoy SSR i Moskovskiy gosudarstvennyy universitet imeni Lomonosova. (Bensene—Dipide moments)

LEVINA, R.Ya., LDYM, N.M.; GEMBITSKIY, P.A. p-Cyclopropylbensaldehyd. Zhur.ob.khim. 33 no.6:2074-2075 (MIRA 16:7) Je '63. 1. Moskovskiy gosudarstvennyy universitet. (Benzaldehyde) (Cyclopropyl group)

LEVINA, R.Ya.; GEMBITSKIY, P.A.; GUSEVA, L.P.; AGASYAN, P.K.

Cyclopropanes and cyclobutanes. Part 36: Evaluation of the reactivity of aryl cyclopropanes with the aid of Gammett equations. Zhur.ob.khim. 34 no.1:146-151 Ja '64. (MIRA 17:3)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.

Advances of polyathylenimine chemistry. Usp. khim. 34 no.7:
1249-1271 J1 165. (HRA 18:7)

1. Institut neftekhimichenkogo sinteza AN SSSR.

Clinical aspects of primary hypotension. Klin.med. 31 no.7:35-42 J1 '53. (MLEA 6:9) (Hypotension)

一 《其實學學》的語音學

GEMBITSKIY, Ye.V.; KOSTYUCHENOK, V.V.(Leningrad)

Acute erythremia. Klin.med.33 no.7:64-69 J1 '55.(MLRA 8:12)

1. Iz kafedry gospital'noy terapii (nach-chlen-korrespondent AMN SSSR prof. N.S.Molchanov) Voyenno-meditsinskoy ordena Lenina akademii imeni S.M.Kirova)


(POLYCYTHEMIA VERA
erythomic myelosis)

GEMBITSKIY, Ye.Y., kandidat meditsinskikh nauk, podpolkovnik meditsinskoy sluzhby

Spontaneous pneumothorax of nontuberculous etiology. Voen.-med.
shur. no.10:52-54 0 *56.

(FERUMOTHORAX)

(FERUMOTHORAX)



Problems in the treatment of hypertension. Voen.-med.zhur. no.10:
93-94 0 '58.
(HIPERTRUSION, ther.
(Rus))

OMO ITSKIY, Yo.V.

Hypnosis in the clinical treatment of internal diseases. Sov.med. 22 no.1:69-74 Ja '58. (MIRA 11:4)

1. Is kliniki gospital noy terapii (nachal nik - chlen-korrespondent Akademii meditsinskikh nauk SSSR prof. N.S.Molchanov)
Voyenno-meditsinskoy ordena Lenina akademii imeni S.M.Kirova.

(HYPNOSIS, ther. use
internal dis. (Rus))

Clinical course and treatment of acute luminal poisoning. Sovemed. 23 no.7:102-106 J1 59. (MIRA 12:11)

GEMBITSKIY, Ye.V., polkovnik meditsinskoy sluzhby, kand.meditsinskikh nauk

Clinical aspects and treatment of diencephalitis. Voen.-med.
shur, no. 6175-78 Je '60.

(DIENCEPHALON-DISEASES)

(MIRA 13:7)

MOLCHANOV, Nikolay Sememovich; IVANOVSKIY, B.D., red. [deceased]; GEMBITSKIY, Ye.V., red.; CHUNAYEVA, Z.V., tekhn. red.

[Treatment in the field; manual for students of medical institutions and for physicians] Voenno-polevaia terapiia; rukovodstvo dlia studentov med-vusov i vrachei. Leningrad, Gos. izd-vo med. lit-ry Medgis, Leningr. otd-nie, 1961. 234 p. (MIRA 14:7)

(MEDICINE, MILITARY—HANDBOOKS, MANUALS, ETC.)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

7.1 阿勒特别人的基础设计。

GEMBITSKIY, Ye.V., dotsent

Clinical and therapeutic problems in spontaneous pneumothorax of non-tuberculous etiology. Sov. med. 25 no.10:11-16 0 '61.

(MFA 15:1)

1. Iz kafedry voyenno-polevoy terapii (nachal'nik - prof. B.D.Ivanovskiy [deceased]) Voyenno-meditsinskoy ordena Lenina akademii imeni Kirova.

(PNEUMOTHORAX)

GEMBITSKIY, Ye.V., kand.med. nauk; BRODSKAYA, S.I. (Leningrad)

Prevention of rheumatic fever. Klin. med. 40 no.11:85-89 Nº62

1. Iz kafedry gospital noy terapii Voyenno-meditsinskoy ordena Isnina akademii imeni S.M.Kirova (nachal nik - deystvitel nyy chlen AMN SSSR prof. N.S. Molchanov) I leningradskoy oblastnoy klinicheskoy bol nitsy (glavnyy vrach V.N. Sukhobskiy).

MOLCHANOY, Nikolay Semenovich, prof., red.; VAL'DMAN, Viktor
Aleksandrovich, zasl. deyatel' nauki RSFSR, prof., red.;
GEMBITSKIY, Ye.V., red.; LEREDEVA, Z.V., tekhn. red.

[Rheumatism and rheumatoids; problems of pathogenesis, classification, morphology, clinical aspect, treatment and prevention] Revmatism i revmatoidy; voprosy patogeneza, klassifikateii, morfologii, kliniki, lechamiia i profilaktiki. Leningrad, Medgia, 1963. 318 p.

[MIRA 16:5]

1. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for Molchanov).

(RHEUMATIC FEVER)

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

GEMBOL', V. L.

Sep 52

USSR/Electricity - Motors, Fractional*HP Process Control

"Automatic Comtroller APT-2 for Regulation of Current Density and Time in Galvanic Processes," Engr V. L. Gembol!

Prom Energet, No 9, pp 11-14

Describes automatic controller APT-2, dimensions 65x45x26 cm, for maintaining constant cd of galvanic baths (cd range 0.5 to 5 a/sq dm, current range 1 to 300 a). Includes 2.5-hr timer which rings bell. Timmer is driven by CD-2, 220-v, 2-rpm synchromous motor. Current-stabilizing mechanism is actuated by 3-position balancing relay and a type UR-7M 24-v reversing dc motor.

253T35

TSVETKOV, Leonid Aleksandrovich; GEMBOREK, G.L., red.; KOZLOVSKAYA, M.D., tekhn.red.

[Organic chemistry esperiments in the secondary school (methods and techniques); teacher's manual] Eksperiment po organicheskoi khimii v srednei shkole; metodika i tekhnika. Posobie dlie uchitelei. Izd.)., ispr. i dop. Moskva, Gos.uchebno-pedagog. izd-vo M-va prosv.RSFSR, 1959. 277 p. (MIRA 13:11) (Chemistry, Organic--Experiments)

中對於一個國家轉變一致自己

FINKEL'SHTEYN, Davyd Naumovich; GEMBOREK, G.L., red.; DZHATIYEVA, F.Kh., tekhn.red.

[Competition between chemistry and nature; manual for students]
Sorevnovanie khimii s prirodoi; posobie dlia uchashchikhsia.
Moskva, Gos.uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1959. 285 p.

(Chemistry)

DIOGENOV, Gennadiy Gerasimovich; GEMBOREK, G.L., red.; KORNEYEVA, V.I., tekhn.red.

[History of the discovery of the chemical elements] Istoriia

otkrytiis khimicheskikh elementov; kratkie ocherki. Moskva, Gos. uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1960. 231 p.

(MIRA 13:11)

(Chemical elements)

KROFOTOV, Vladimir Mikolayevich; OLNORALOV, Mikolay Vasil'yevich;
GEMBOREK, G.L., red.; DRANNIKOVA, M.S., tekhn. red.

[Work with plastics; student's manual] Raboty s plasticheskimi massami; posobie dlia uchashchikhaia. Moskva, Gos. uchebno-pedegog. izd-vo M-va prosv. RSFSR, 1961. 61 p.

(MIRA 15:3)

(Plastics)

공한 독취 회학

CHERNAVIN, Aleksandr Stepanovich; GEMEOREK, G.L., red.; KARPOVA, T.V., tekhn. red.

[Fundamentals of agricultural chemistry; reference book for teachers] Osnovy agrokhimii; posobie dlia uchitelei. Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1961. 219 p. (MIRA 15:3)

(Agricultural chemistry)

RESHETNIKOV, Aleksandr Vasil'yevich; GEMBOREK, G.L., red.; MAKAROVA, N.F., tekhn. red.

[Problems and exercises in chemistry for secondary schools; a manual for teachers] Sbornik zadach i uprazhnenii po khimii dlia srednei shkoly; posobie dlia uchitelei. Izd.2., ispr. i dop.

Moskva, Uchpedgis, 1962. 92 p.

(Chemistry—Problems, exercises, etc.)

LEVASHOV, Vladimir Ivanovich; GIMBOREK, G.L., red.; KOZLOVSKAYA, M.D., tekhn. red.

[Chemistry made interesting] Zanimatel'naia khimiia. Moskva, Uchpedgiz, 1962. 131 p. (MIRA 15:7) (Chemistry)

HUNGARY

KRASNIK, W. Dr., GFMBRICZKY, M. Dr., MAGAS, S. Dr.; Medical Academy of Poznan, Second Internal Medicine Clinic (Poznani Orvosi Akademia, II. Belklinika)*Professor: RCGUSKI, J. Dr.

"P-32 Isotops Treatment of Enythresia."

Budapest, Orvosi Hetilap, Vol 103, No -6, 18 Nov 62, pages 2154-2187,

Abstract: [Authors' summary] With the use of radioactive P-32 a considerable percentage of patients with erythremia showed clinical and hematological remission. The subjective improvement preceded the hematological gains. With careful and individual evaluation of the decage no side effects were observed.

[This paper is published, as part of an exchange program, from the Polski Tygodnik Lekarski.]

[18 Western, 1 Societ-bloc reference]

*[Polish versions not given]
1/1

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

45347460 EFFETT RM ACC NRI ATE033614 SOURCE CODE: HU/2502/65/043/002/0231/0236 AUTHOR: Foldesi, Istvan-Fel'deshi, I. (Doctor; Budapest); Gomory, Pal-Gemeri, P. (Budapest) ORG: [Foldesi] Institute of General and Inorganic Chemistry, Ectvos Lorand University Budapest (Ectvos Lorand Tudomanyegyetem, Altalanos es Szervetlen Kemiai Intezet); [Gomory] Research Group for Inorganic Chemistry, MTA, Budapest (MTA, Szervetlen Kemiai Kutatocsoport) TITLE: Alkylation with organopotassium compounds SOURCE: Academia scientiarum hungaricae. Acta chimica, v. 43, no. 2, 1965, 231-236 TOPIC TAGS: alkylation, organomercury compound AESTRACT: Isopropylpotassium was prepared from diisopropylmercury with a K-Na alloy. The alkylating properties of the compound were examined with carbon dioxide and with compounds containing -Si-Cl and -Sn-Cl bonds. In petroleum ether the isopropyl group, in benzene the phenyl group was introduced successfully. An Syl mechanism was followed by the alkylation reaction. Orig. art. has: 1 figures. [Orig. art. in Eng.] [JPRS: 33.540] SUB CODE: 07 / SUEM DATE: 29Jun64 / OTH REF: 019 Card 1/1 1(

日始 经海流额

Pathogenesis and treatment of malignant hepertension. Klin.med.
36 no.5:38-45 Mr '58. (MIRA 11:4)

1. Direktor II terapevticheskoy kliniki, Chlen-korrespondent
Akademii nauk Vengrii.
(HYPERTESION
malignant, pathogen. & ther. (Rus))

ROZENFEL'D L., kand.khim.nauk; GEMERLING, G., kand.tekhn.nauk; CHERNOV, A., inzh.; KAPRANOV, V., inzh.; KUTINA, M., inzh.

Improving the manufacturing techniques for air-entrained fly ash concrete. Na stroi.Ros no.2:33-34 F '61. (MIRA 14:6)

(Air-entrained concrete)

GEMERSKY, Vavro, inz.

Spread and population density of the poplar borer (Saperda carcharias L.) in the central part of Velky ostrov Zitny.

Les cas 9 no.9:799-810 S'63.

1. Vyskumny ustav lesneho hospodarstva, Banska Stiavnica.

IEONTOVYC, Roman, inz.; GEMERSKY, Vavro, inz.

Romarks on the decay of poplers after prun.ng. Les cas 10 no.9;
811-818 3 '64.

1. Research Institute of Forestry, Banaka Stiavnica.

GE Ed, F.

Influence of the blast furnace on economical production, p.469

KOHASZATI LAPCK. (Magyar Banyaszati es Kohaszati Egycsulet) Budapest, Hungary Vol. 13, no.10/11, Oct./Nov. 1958

Monthly List of East European Accessions (EEAI) 10., Vol. 8, no.7, July 1959 Uncl.

GEMES, F.

Influence of blast furnace operations on economical production. p.548

KOHASZATI LAFOK. (Magyar Banyaszati es Kohnszati Egyesület) Budapest, Hungary Vol. 13, no. 12, Dec. 1958

Monthly List of East European Accessions (EEAI) LC., Vol. 8, no.7, July 1959 Uncl.

Distribution of the internal pressure of charged materials in the blast furnace. Koh lap 93 noi9:408-414 S '60. 1. Dunai Vesmu.

GEMES, Ferenc, okleveles vaskohomernok

Effect of blast furnace working on economical production. Koh lap 91 no.12:548-554 D '58.

1. Dunai Vasmu.

FEN'VESH, E.; GEMESHI, T.; NEMET, F.; SHANDOR, T.; GASYCROVSKI, L.; STARZHINSKI, A.

Semiautomatic measuring instrument for processing pictures obtained in the bubble chamber and the Wilson chamber. Frib. i tekh. eksp. 6 no.2:68-72 Mr-Ap *61. (MIRA 14:9)

1. TSentral'nyy isledovatel'skiy institut fiziki, Budapesht (for Fen'vesh, Gemeshi, Memet, Shandor). 2. Institut yadernykh issledovaniy, Varshava (for Gasyorovski, Starzhinski).

(Photography, Particle track)

FRANK, Kalman, dr.; GEMGSI, Gyula, dr.

Giardiasis. Gyermekgyogyassat 10 no.11:338-344 N '59.

1. A Vas megyei Tanacs, "Markusovszky Lajos" korhaza (Igazgato: Cselko Laszle dr.) Gyermekosztalyanak (Foorvos: Frank Kalman dr.) es a Vas megyei KOJALL (Igazgato: Kneffel Pal dr.) parazitologiai laboratoriumanak koslemenye. (GIARDIASIS in inf & child)

EUFDARY

FRANK, Falman, Dr., GEMETI, Gyula, Dr.; Vas Merge Council Markusovszky Hospital (director: COELKO, Iaszlo, Dr.), Pediatric Ward (Vas Merge Tanacsa Markusovszky Merhana, Dyermekosztaly), and Public Health and Epidemiolo, ical Station of Vas Merge (director: KNEFFEL, Pal, Dr.), Parasitological Laboratory (Vas Mergei Kozegeszsegugyi Jarvanyugyi Allomas, Parazitologiai Laboratorium).

"Fumagillin in the Treatment of Amebiasis in Children."

Budapert, Grvosi Hetilan, Vol 107, No 42, 16 Cct 66, pages 1994-1997.

Abstract: [Authors' Hungarian summary] Fumagillin, a new amebicidal antibiotic produced in Hungary, was used in the treatment of 100 children who were infested with Entamoeba histolytica. After an average of 6 days of oral administration of the drug, 96 per cent of the cases were freed of the protozoa. No toxic damage whatsoever was observed in response to Fumagillin. 4 Hungarian, 15 Western references.

1/1

- 50 -

F 64 1972


GEMESI, Gyula, dr.; PASZTHY, Otto, dr.

Ambulatory treatment of Entamoeba histolytica infection in children. Orv.hetil. 101 no.49:1750-1753 4 D'60.

1. Vas megye Tanacsa Kosegesssegugyi-Jarvanyugyi Allomasa es Vas megye Tanacsa Markusovssky Korhasa Rendelointesete Gyermekssakrendelese.

(TETRACYCLINE ther) (AMEBIASIS ther)

1. 多数数数数 特别。



GENESI, Jozsef; SZABO, Janos

University entrance examinations in physics. Fiz szemle 8 no.3:89-41 Mr 158.

1. Ectvos Lorand Tudomanyegyetom Kiserleti Fizikai Intezete (for Genesi). 2. Ectvos Lorand Tudomanyegyetom Elmeleti Fizikai Intezete; "Fizikai Szemle" szerkeszto bizettsagi tagja (for Szabo).

Physical Know 355-356 *60.	atsky's A fisika eledge); a book m matsky, Karoly)	review. Magy fiz	oroi (Pioneers of folyoir 8 no.4: (ERAI 10:2

GENESI, Jozsef, fizikus, tudomanyos fomunkatars

Protection against noises Term tud kosl 7 no.6:245-248 Je '63.

1. Epitomayagipari Kosponti Kutatointezet, Budapest.

GEMESI, Jozsef

"Physics for engineers and scientists" by R.G. Powler, D.I.

Meyer. Reviewed by Jozsef Gemesi. Epitoanysg 15 no.7:274

Jl 163.

4.

一定放弃的。宣传来编辑的合

CENESI, Jozsef; VODROS, Daniel

Application of gamma-radiant isotopes for determining the humidity content of building materials. Epitoanyag 15 no.7: 275-279 Jl 363.

GEMESI, Jozsef

Some questions on automated cement production in Hungary. Epitoanyag 16 no.1:16-17 Ja'64.


1. Epitoanyagipari Kozponti Kutato Intezet, Budapest.

Interior con reservations in the contraction of the

VOROS, Daniel; GEMESI, Jozsef

Petermination of moisture in building materials by means of radioisotopes. Energia as atom 17 no.6:289-293 Je 64.

1. Research Institute of Medical Radiology, Hungarian Academy of Sciences and Central Research Institute of Building Materials Industry, Hungarian Academy of Sciences.



GEMESY, 1.

HUNGARY/Nuclear Physics - Cosmic Rays

C-7

Abs Jour: Ref Zhur - Fizika, No 12, 1958, No 27042

Author : Dohun Istvan, Genesy Tibor, Sendor Tenes, Sonogyi Antel

Inst : Not Given

Title : Dotorminction of the Ratio of the Number of Photons to the Number of Electrons in Extensive Cosmic Showers with the Mid

of a Cloud Chamber.

Orig Fub : Magyar tud. eked. Kozp. fiz. kutato int. kozl., 1957, 5, No 5,

461-468

Abstract: The investigations were carried out with a cloud chamber having an effective transverse section of 300 cm², in which seven plates of lead 33 mm thick each were placed. The chamber registered an extensive shower. During the interpretation of the resultant photographs, a count was taken both of the electrons entering into the chamber and of the electron pairs produced by the photons in lead. Taking into account the possible number of photons passing through the chamber without interacting, the ratio of the number of photons to the

Cord : 1/2

APPROVÁD-FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8"

Abs Jour : Rof Zhur - Fizike, No 12, 1958, No 27042

number of electrons was found to be a = 1.16 for a photon with primary energy of 84 Mev. The resultant data have been compared with the results of other authors.

Cord : 2/2

HUNGARY/Nuclear Physics - Cosmic Rays.

C

Abs Jour : Ref Zhur Pizika, No 9, 1959, 19836

Author : Dohan, I., Gemesy, T., Sandor, T., Somogyi, A.

Inst : Central Research Instit te for Physics, Budapest, Hungary

Title : Determination of the Ratio of the Number of Photons and

Electrons in Extensive Atmospheric Showers of Cosmic

Radiation with the Aid of a Cloud Chamber.

Orig Pub : Acta phys. Acad. scient. hung., 1958, 9, No 1-2, 97-103

Abstract : Seven plates of lead with a total thickness of 33 mm were

placed in a cloud chamber having an effective area of 300 cm². The chamber was controlled by means of apparatus for extensive atmospheric showers. The primary electrons and the electron-positron pairs were counted. Taking into account the correction necessitated by the penetrat-

ing photons, the authors have obtained the ratio of the

Card 1/2

- 16 -

HUNGARY/Nuclear Physics - Cosmie Rays.

Abs Jour : Ref Zhur Fizika, No 9, 1959, 19886

member of photons to the electrons in extensive atmospheric showers, equal to 1.16 ±0.04.

Card 2/2

GEMESY, T.; KANTOR, K.

Stereochart comparison unit. p.139
MAGYAR FIZIKAI FOLYOIRAT. Budapest, Hungary. Vol. 7, no. 2, 1959

Monthly List of East European Accessions (EEAI), LC. Vol. 8, No. 9, September 1959 Uncl.

GEMESY, Tibor; SANDOR, Tomas; SOMOGYI, Antal

Investigation of the extensive air showers of cosmic radiation by the Wilson chamber. Koz fis kozl MTA 8 no.1:3-6 '60. (EEAI 10:1)

1. Kozmikus Sugarsasi Laboratorium, a Magyor Tudomanyos Akademia Kozponti Fisikai Kutato Intesete.

(Cosmic rays) (Cloud chamber)

GEMENY, Tibor; HERING, Jeno

Stereo projector for evaluating bubble and cloud chamber photographs. Noz fiz kozl MTA 11 no.61465-469 *63.

T. GEMESY, A. SOMOGYI, G. VALAS

The density spectrum of Extensive Air Showers at very large densities

report submitted for the 8th Intl. Conf. on Cosmic Rays (TUPAP), Jaipur India, 2-14 Dec 1963

315?5 S/627/60/002/000/007/027 D299/D304

3. 24/0 (\$205, 2705, 2805)

Gemezi, T., Shandor, T., and Shomogi, A.

TITLE: Study of extensive air showers by means of a cloud

chamber

SOURCE: International Conference on Cosmic Radiation. Moscow,

1959. Trudy. v. 2. Shirokiye atmosfernyye livni i kas-

kadnyye protsessy, 113-116

TEXT: A Wilson cloud chamber is used for verifying the results obtained by means of Geiger counters, and for an exact determination of the ratio of photons to electrons in extensive showers. A cylindrical cloud chamber was placed at the center of a square, at whose corners 4 Geiger counters were set up. Some provisional results were published by the authors earlier (in 1958). About 9000 photos were taken, at a rate of approximately 2.7 photos per hour; half of these photos were already processed. The ratio of photons to electrons was found to be CC = 1.13 + 0.03. There was good agreement between the experimental values and the theoretical values

Card 1/3

AUTHORS:

31525 S/627/60/002/000/007/027 D299/D304

Study of extensive air ...

based on cascade shower theory. The authors did not observe any substantial dependence of the photon-electron ratic on shower density, for a density range of 30 to 200 particles/m². The transition effect was investigated by two methods. The transition curve obtained by the cloud chamber had no maximum, whereas the curves obtained by means of the Geiger counters had a noticeable maximum at approximately 7 mm. lead. There is no final explanation to this contradiction as yet. It may be due to the different experimental conditions, existing in the cloud chamber and the Geiger counters, ments in order to verify this assumption. Another explanation could be the presence of low-energy electrons, recorded by the cloud chamber but not by the Geiger counters. This explanation is, however, not fully satisfactory. There are 3 figures, 1 table and 3 publications read as follows: L. Jánossy, T. Sándor and A. Sómogyi. Acta Phys. Hung., 6, 455, 1957; A. Somogyi. Ibid., 7, 189, 1957; I. Dohán, T. Gémesy, T. Sándor and A. Somogyi. Ibid., 9, 97, 1958.

Card 2/3

Study of extensive air ...

Study of extensive air ...

S/627/60/002/000/007/027
D299/D304

ASSOCIATION: Tsentral'nyy issledovatel'skiy institut fiziki Vengerskoy Akademii nauk (Central Research Institute of Physics Hungarian Academy of Sciences, Budapest)

Card 3/3

GEMINOV, N. V.	DECEASED	
Medicine	see ILC	
MARKU DESCRIPTION PROPERTY AND A STATE OF THE STATE OF TH		
· · · · · · · · · · · · · · · · · · ·	RESIDENCE AND RESIDENCE STRANGESTING CONTRACTOR FOR STRANGESTING AND ADDRESS OF THE PROPERTY O	ASTO, STUDIOS PRATA, SECONDA SECONDA SECONDA PER AND PER A

C.F.M. NOGEL'SON, Ye.I., kandidat tekhnicheskikh nauk, detsent; GEMINOY, V.B., inshener.


Methed for determining the reduction gear ratio of planetary transmissions; in connection with V.S.Sarkev's article. (Vestnik mashinestreenlia 27 ne.3) Vest.mash.27 ne.12:46-47 D '147. (MIRA 9:4)

(Gearing) (Sarkev, V.S.)


IVANCAL,; GENIEOV, V.E.

Plasticity criteria of heat resistant s loys. 7av. lab. 23 no.5: 601-605 '57. (WIRA 10:8)

1. Institut setallurgii immi A.A. Baykova Akademii nauk SSSR. (Heat resistant alloys—Testing) (Flasticity)



"APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R000514710014-8



SOV-26-58-3-3/51.

AUTHORS: Oding, I.A., Corresponding Member of the AS USSR; Geminov

V.N.

TITLE: Strength and Plasticity of Metals (Prochnost' i plastichnost'

metallov)

PERIODICAL: Priroda, 1958, Nr 3, pp 17-25 (USSR)

ABSTRACT: The theory of the imperfection of the crystal lattice of

metals, with stress on the aspect of dislocation and plastic flow, is related and applies to such processes and phenomena of metals as strength, hardening, mechanical aging, yielding, blue brittleness and creep. It is concluded that the theory of dislocation can be satisfactorily applied to many highly diverse phenomena that are observed in the process of plastic deformation and destruction of metals. Soviet physicists Ya.I. Frenkel' and I.A. Oding have applied the idea of the notion of the vacancies and accumulations of imperfections in metals, arising from moving dislocations, to enumerate a series of measures for raising the durable strength of metals.

Card 1/2

Strength and Plasticity of Metals

30V-26-58-3-3/51

There are 16 diagrams, 2 photos, 1 graph and 9 references, 6 of which are Soviet, 1 German and 2 English.

ASSOCIATION: Institut metallurgii AN SSSR-Moskva (Institute of Metallurgy AS USSR-Moscow)

1. Metals--Mechanical properties 2. Metals--Deformation

3. Metals--Crystal structure

Card 2/2

ODING, N.A.; GEMINOV, V.N.

Some problems of plastic flow and phase transformation from the dislocation theory viewpoint. Trudy Inst.met. no.3:108-121 *58.

(MIRA 12:3)

(Deformations (Mechanics)) (Phase rule and equilibrium)

(Crystal lattices)

MUCHINA, P.M.; MATROSOVA, T.V.; BORGEST, V.A.; ZAYDEL', A.N.; PEGROV, A.A.; STRELYAYEV, M.I.; GEMINOV, V.N.

Brief reports, Zav. lab. 24 no.8:958, 1034-1035 '58. (MITA 11:8)

L. Kuznetskiy metallurgicheskiy kombinat (for Kuchina). 2. Leningradskiy gosudarstvennyy universitet (for Borgest. Zaydel', Pegrov). 3. Kuybyshevskiy inshenerno-stroitel'nyy institut (for Strelyayev). (Chemistry, Analytical) (Metals—Testing) (Reinforced concrete—Testing)